


SMP 高圧管継手

90°エルボ

●SL ねじ込み形




●炭素鋼

品 番	価 格
SF-8A-SL	500
SF-10A-SL	500
SF-15A-SL	610
SF-20A-SL	790
SF-25A-SL	1,080
SF-32A-SL	1,940
SF-40A-SL	2,280
SF-50A-SL	3,800

●ステンレス鋼

品 番	価 格
SUS-8A-SL	1,550
SUS-10A-SL	1,740
SUS-15A-SL	2,410
SUS-20A-SL	3,330
SUS-25A-SL	4,610
SUS-32A-SL	7,500
SUS-40A-SL	10,300
SUS-50A-SL	17,600

●SWL 差込み溶接形



●炭素鋼

品 番	価 格
SF-8A-SWL	430
SF-10A-SWL	430
SF-15A-SWL	510
SF-20A-SWL	660
SF-25A-SWL	940
SF-32A-SWL	1,590
SF-40A-SWL	1,980
SF-50A-SWL	3,450

●ステンレス鋼

品 番	価 格
SUS-8A-SWL	1,270
SUS-10A-SWL	1,520
SUS-15A-SWL	2,020
SUS-20A-SWL	2,810
SUS-25A-SWL	4,010
SUS-32A-SWL	6,820
SUS-40A-SWL	9,270
SUS-50A-SWL	15,400


●管厚:スケジュール80

品 番	径の呼び (Rc)	A	B	C	D	L	ℓ
8A-SL・SWL	1/4	14.3	23	10	9.4	21.1	11.1
10A-SL・SWL	3/8	17.8	28	13	12.7	26.5	13.5
15A-SL・SWL	1/2	22.2	33	13	16.1	28.9	15.9
20A-SL・SWL	3/4	27.7	38	16	21.4	35.1	19.1
25A-SL・SWL	1	34.5	47	16	27.2	38.2	22.2
32A-SL・SWL	1 1/4	43.2	57	18	35.5	45	27
40A-SL・SWL	1 1/2	49.1	64	19	41.2	50.8	31.8
50A-SL・SWL	2	61.1	77	22	52.7	60.1	38.1

SMP 高圧管継手

■45°エルボ

●S45L ねじ込み形




●炭素鋼

品 番	価 格
SF-8A-S45L	750
SF-10A-S45L	750
SF-15A-S45L	840
SF-20A-S45L	1,060
SF-25A-S45L	1,450
SF-32A-S45L	2,450
SF-40A-S45L	3,050
SF-50A-S45L	4,910

●ステンレス鋼

品 番	価 格
SUS-8A-S45L	2,130
SUS-10A-S45L	2,460
SUS-15A-S45L	3,490
SUS-20A-S45L	4,670
SUS-25A-S45L	5,960
SUS-32A-S45L	9,350
SUS-40A-S45L	12,900
SUS-50A-S45L	22,500

●SW45L 差込み溶接形



●炭素鋼

品 番	価 格
SF-8A-SW45L	620
SF-10A-SW45L	620
SF-15A-SW45L	700
SF-20A-SW45L	880
SF-25A-SW45L	1,210
SF-32A-SW45L	2,130
SF-40A-SW45L	2,800
SF-50A-SW45L	4,270

●ステンレス鋼


品 番	価 格
SUS-8A-SW45L	1,910
SUS-10A-SW45L	2,200
SUS-15A-SW45L	2,870
SUS-20A-SW45L	3,740
SUS-25A-SW45L	4,940
SUS-32A-SW45L	7,880
SUS-40A-SW45L	10,900
SUS-50A-SW45L	18,900

●管厚:スケジュール80

品 番	径の呼び (Rc)	A	B	C	D	L	ℓ
8A-S45L・SW45L	1/4	14.3	23	10	9.4	17.9	7.9
10A-S45L・SW45L	3/8	17.8	28	13	12.7	20.9	7.9
15A-S45L・SW45L	1/2	22.2	33	13	16.1	24.1	11.1
20A-S45L・SW45L	3/4	27.7	38	16	21.4	28.7	12.7
25A-S45L・SW45L	1	34.5	47	16	27.2	30.3	14.3
32A-S45L・SW45L	1 1/4	43.2	57	18	35.5	35.5	17.5
40A-S45L・SW45L	1 1/2	49.1	64	19	41.2	39.6	20.6
50A-S45L・SW45L	2	61.1	77	22	52.7	47.4	25.4

SMP 高圧管継手

■SSTL ストリートエルボ (メスオスエルボ)



●炭素鋼


品 番	価 格
SF-8A-SSTL	680
SF-10A-SSTL	680
SF-15A-SSTL	970
SF-20A-SSTL	1,280
SF-25A-SSTL	2,070
SF-32A-SSTL	3,210
SF-40A-SSTL	4,940
SF-50A-SSTL	8,110

●ステンレス鋼

品 番	価 格
SUS-8A-SSTL	2,590
SUS-10A-SSTL	3,010
SUS-15A-SSTL	3,930
SUS-20A-SSTL	5,590
SUS-25A-SSTL	7,190
SUS-32A-SSTL	13,800
SUS-40A-SSTL	19,700
SUS-50A-SSTL	27,400

品 番	径の呼び (Rc・R)	B	L	L1	d
8A-SSTL	1/4	23	30	18	7
10A-SSTL	3/8	28	36	26	9
15A-SSTL	1/2	33	43	29	13
20A-SSTL	3/4	38	50	37	16
25A-SSTL	1	47	57	40	20
32A-SSTL	1 1/4	57	65	45	28
40A-SSTL	1 1/2	64	74	52	30
50A-SSTL	2	77	83	65	40

■SP プラグ



●炭素鋼

品 番	価 格
SF-8A-SP	190
SF-10A-SP	190
SF-15A-SP	260
SF-20A-SP	410
SF-25A-SP	510
SF-32A-SP	790
SF-40A-SP	1,110
SF-50A-SP	1,580

●ステンレス鋼


品 番	価 格
SUS-8A-SP	580
SUS-10A-SP	720
SUS-15A-SP	920
SUS-20A-SP	1,450
SUS-25A-SP	1,690
SUS-32A-SP	3,410
SUS-40A-SP	4,550
SUS-50A-SP	7,130

品 番	径の呼び (R)	L	T	炭素鋼	ステンレス
				H	H
8A-SP	1/4	19	6	17	14
10A-SP	3/8	22	8	21	17
15A-SP	1/2	25	8	26	22
20A-SP	3/4	28	9	32	27
25A-SP	1	30	9	35	35
32A-SP	1 1/4	34	12	46	46
40A-SP	1 1/2	37	14	54	50
50A-SP	2	41	16	63	63

SMP 高圧管継手

チーズ

●ST ねじ込み形




●炭素鋼

品 番	価 格
SF-8A-ST	700
SF-10A-ST	700
SF-15A-ST	850
SF-20A-ST	1,110
SF-25A-ST	1,510
SF-32A-ST	2,570
SF-40A-ST	3,190
SF-50A-ST	5,240

●ステンレス鋼

品 番	価 格
SUS-8A-ST	2,120
SUS-10A-ST	2,490
SUS-15A-ST	3,580
SUS-20A-ST	5,020
SUS-25A-ST	6,450
SUS-32A-ST	10,400
SUS-40A-ST	14,200
SUS-50A-ST	23,600

●SWT 差込み溶接形



●炭素鋼

品 番	価 格
SF-8A-SWT	590
SF-10A-SWT	590
SF-15A-SWT	710
SF-20A-SWT	920
SF-25A-SWT	1,300
SF-32A-SWT	2,230
SF-40A-SWT	2,770
SF-50A-SWT	4,770

●ステンレス鋼

品 番	価 格
SUS-8A-SWT	1,690
SUS-10A-SWT	2,040
SUS-15A-SWT	2,850
SUS-20A-SWT	3,950
SUS-25A-SWT	5,540
SUS-32A-SWT	9,270
SUS-40A-SWT	12,800
SUS-50A-SWT	20,600

●管厚:スケジュール80


品 番	径の呼び (Rc)	A	B	C	D	L	ℓ
8A-ST・SWT	1/4	14.3	23	10	9.4	21.1	11.1
10A-ST・SWT	3/8	17.8	28	13	12.7	26.5	13.5
15A-ST・SWT	1/2	22.2	33	13	16.1	28.9	15.9
20A-ST・SWT	3/4	27.7	38	16	21.4	35.1	19.1
25A-ST・SWT	1	34.5	47	16	27.2	38.2	22.2
32A-ST・SWT	1 1/4	43.2	57	18	35.5	45	27
40A-ST・SWT	1 1/2	49.1	64	19	41.2	50.8	31.8
50A-ST・SWT	2	61.1	77	22	52.7	60.1	38.1

SMP 高圧管継手

■カップリング(ソケット)

()は六角

●SSねじ込み形



品 番	(Rc)	B	L1	T	H
8A-SS	1/4	22 (20)	28	8	21
10A-SS	3/8	27 (25)	33	9	26
15A-SS	1/2	32 (31)	37	9	32
20A-SS	3/4	38 (37)	42	12	38
25A-SS	1	46 (45)	45	13	46
32A-SS	1 1/4	55	52	14	58
40A-SS	1 1/2	63 (62)	56	16	63
50A-SS	2	76	66	18	77

●炭素鋼(六角)

品 番	価 格
SF-8A-SS	310
SF-10A-SS	310
SF-15A-SS	500
SF-20A-SS	620
SF-25A-SS	880
SF-32A-SS	1,470
SF-40A-SS	2,010
SF-50A-SS	2,920

●炭素鋼(丸)


品 番	価 格
SF-8A-SSM	300
SF-10A-SSM	300
SF-15A-SSM	470
SF-20A-SSM	570
SF-25A-SSM	850
SF-32A-SSM	1,250
SF-40A-SSM	1,610
SF-50A-SSM	2,380

●ステンレス鋼(丸)

品 番	価 格
SUS-8A-SS	920
SUS-10A-SS	990
SUS-15A-SS	1,430
SUS-20A-SS	1,910
SUS-25A-SS	2,960
SUS-32A-SS	4,910
SUS-40A-SS	6,560
SUS-50A-SS	9,500

■カップリング(ソケット)

●SWC 差込み溶接形



●炭素鋼

品 番	価 格
SF-8A-SWC	290
SF-10A-SWC	290
SF-15A-SWC	330
SF-20A-SWC	450
SF-25A-SWC	610
SF-32A-SWC	970
SF-40A-SWC	1,260
SF-50A-SWC	2,050

●ステンレス鋼

品 番	価 格
SUS-8A-SWC	740
SUS-10A-SWC	860
SUS-15A-SWC	1,050
SUS-20A-SWC	1,500
SUS-25A-SWC	2,150
SUS-32A-SWC	3,920
SUS-40A-SWC	4,630
SUS-50A-SWC	8,000


●管厚:スケジュール80

品 番	径の呼び (Rc)	A	B	C Min	D	E	L
8A-SS・SWC	1/4	14.3	22	9.6	9.4	6.4	25.6
10A-SS・SWC	3/8	17.8	27	9.6	12.7	6.4	25.6
15A-SS・SWC	1/2	22.2	32	9.6	16.1	9.5	28.7
20A-SS・SWC	3/4	27.7	38	12.7	21.4	9.5	34.9
25A-SS・SWC	1	34.5	46	12.7	27.2	12.7	38.1
32A-SS・SWC	1 1/4	43.2	55	12.7	35.5	12.7	38.1
40A-SS・SWC	1 1/2	49.1	63	12.7	41.2	12.7	38.1
50A-SS・SWC	2	61.1	76	15.9	52.7	19.1	50.9

SMP 高圧管継手

■ ハーフカップリング (平形)

●SHC ねじ込み形




●炭素鋼

品 番	価 格
SF-8A-SHC	290
SF-10A-SHC	290
SF-15A-SHC	430
SF-20A-SHC	530
SF-25A-SHC	770
SF-32A-SHC	1,140
SF-40A-SHC	1,550
SF-50A-SHC	2,280

●ステンレス鋼

品 番	価 格
SUS-8A-SHC	920
SUS-10A-SHC	950
SUS-15A-SHC	1,380
SUS-20A-SHC	1,870
SUS-25A-SHC	2,980
SUS-32A-SHC	4,810
SUS-40A-SHC	6,770
SUS-50A-SHC	9,500

●SWHC 差込み溶接形



●炭素鋼

品 番	価 格
SF-8A-SWHC	290
SF-10A-SWHC	290
SF-15A-SWHC	330
SF-20A-SWHC	450
SF-25A-SWHC	610
SF-32A-SWHC	1,000
SF-40A-SWHC	1,290
SF-50A-SWHC	2,100

●ステンレス鋼

品 番	価 格
SUS-8A-SWHC	730
SUS-10A-SWHC	860
SUS-15A-SWHC	1,750
SUS-20A-SWHC	1,500
SUS-25A-SWHC	2,170
SUS-32A-SWHC	4,090
SUS-40A-SWHC	4,810
SUS-50A-SWHC	8,330

●管厚:スケジュール80


() はステンレス鋼

品 番	径の呼び (Rc)	A	B	C Min	D	L	F	L1
8A-SHC・SWHC	1/4	14.3	22	9.6	9.4	25.5	15.9	28
10A-SHC・SWHC	3/8	17.8	27 (25)	9.6	12.7	27.1	17.5	33
15A-SHC・SWHC	1/2	22.2	32	9.6	16.1	31.8	22.2	37
20A-SHC・SWHC	3/4	27.7	38	12.7	21.4	36.5	23.8	42
25A-SHC・SWHC	1	34.5	46	12.7	27.2	41.3	28.6	45
32A-SHC・SWHC	1 1/4	43.2	55	12.7	35.5	42.9	30.2	52
40A-SHC・SWHC	1 1/2	49.1	63 (65)	12.7	41.2	44.5	31.8	56
50A-SHC・SWHC	2	61.1	76 (75)	15.9	52.7	57.2	41.3	66

SMP 高圧管継手

■ボス

●SBH ねじ込み形




●炭素鋼

品 番	価 格
SF-8A-SBH	310
SF-10A-SBH	310
SF-15A-SBH	450
SF-20A-SBH	550
SF-25A-SBH	820
SF-32A-SBH	1,250
SF-40A-SBH	1,590
SF-50A-SBH	2,350

●ステンレス鋼

品 番	価 格
SUS-8A-SBH	1,050
SUS-10A-SBH	1,200
SUS-15A-SBH	1,590
SUS-20A-SBH	2,160
SUS-25A-SBH	3,450
SUS-32A-SBH	6,610
SUS-40A-SBH	8,160
SUS-50A-SBH	11,900

●SWBH 差込み溶接形



●炭素鋼

品 番	価 格
SF-8A-SWBH	290
SF-10A-SWBH	290
SF-15A-SWBH	350
SF-20A-SWBH	460
SF-25A-SWBH	630
SF-32A-SWBH	1,140
SF-40A-SWBH	1,350
SF-50A-SWBH	2,240

●ステンレス鋼

品 番	価 格
SUS-8A-SWBH	840
SUS-10A-SWBH	980
SUS-15A-SWBH	1,210
SUS-20A-SWBH	1,740
SUS-25A-SWBH	2,500
SUS-32A-SWBH	4,730
SUS-40A-SWBH	5,560
SUS-50A-SWBH	9,670

●管厚:スケジュール80

()はステンレス鋼

品 番	径の呼び (Rc)	A	B	C Min	D	L	F	L1
8A-SBH・SWBH	1/4	14.3	22	9.6	9.4	25.5	15.9	28
10A-SBH・SWBH	3/8	17.8	27 (25)	9.6	12.7	27.1	17.5	33
15A-SBH・SWBH	1/2	22.2	32	9.6	16.1	31.8	22.2	37
20A-SBH・SWBH	3/4	27.7	38	12.7	21.4	36.5	23.8	42
25A-SBH・SWBH	1	34.5	46	12.7	27.2	41.3	28.6	45
32A-SBH・SWBH	1 1/4	43.2	55	12.7	35.5	42.9	30.2	52
40A-SBH・SWBH	1 1/2	49.1	63 (65)	12.7	41.2	44.5	31.8	56
50A-SBH・SWBH	2	61.1	76 (75)	15.9	52.7	57.2	41.3	66

SMP 高圧管継手

■レジャーサ (異径ソケット)

●SRS ねじ込み形

●炭素鋼

品 番	径の呼び (Rc)	価 格
SF-10A×8A-SRS	3/8×1/4	580
SF-15A×8A-SRS	1/2×1/4	580
SF-15A×10A-SRS	1/2×3/8	
SF-20A×8A-SRS	3/4×1/4	790
SF-20A×10A-SRS	3/4×3/8	
SF-20A×15A-SRS	3/4×1/2	
SF-25A×10A-SRS	1×3/8	1,060
SF-25A×15A-SRS	1×1/2	
SF-25A×20A-SRS	1×3/4	
SF-32A×15A-SRS	1 1/4×1/2	1,790
SF-32A×20A-SRS	1 1/4×3/4	
SF-32A×25A-SRS	1 1/4×1	
SF-40A×20A-SRS	1 1/2×3/4	2,410
SF-40A×25A-SRS	1 1/2×1	
SF-40A×32A-SRS	1 1/2×1 1/4	
SF-50A×25A-SRS	2×1	3,500
SF-50A×32A-SRS	2×1 1/4	
SF-50A×40A-SRS	2×1 1/2	

●ステンレス鋼

品 番	径の呼び (Rc)	価 格
SUS-10A×8A-SRS	3/8×1/4	1,140
SUS-15A×8A-SRS	1/2×1/4	1,630
SUS-15A×10A-SRS	1/2×3/8	
SUS-20A×8A-SRS	3/4×1/4	2,220
SUS-20A×10A-SRS	3/4×3/8	
SUS-20A×15A-SRS	3/4×1/2	
SUS-25A×10A-SRS	1×3/8	3,550
SUS-25A×15A-SRS	1×1/2	
SUS-25A×20A-SRS	1×3/4	
SUS-32A×15A-SRS	1 1/4×1/2	6,270
SUS-32A×20A-SRS	1 1/4×3/4	
SUS-32A×25A-SRS	1 1/4×1	
SUS-40A×20A-SRS	1 1/2×3/4	8,890
SUS-40A×25A-SRS	1 1/2×1	
SUS-40A×32A-SRS	1 1/2×1 1/4	
SUS-50A×25A-SRS	2×1	13,400
SUS-50A×32A-SRS	2×1 1/4	
SUS-50A×40A-SRS	2×1 1/2	

■レジャーサ (異径ソケット)

●SWRC ねじ込み形

●炭素鋼

品 番	径の呼び (Rc)	価 格
SF-10A×8A-SWRC	3/8×1/4	450
SF-15A×8A-SWRC	1/2×1/4	450
SF-15A×10A-SWRC	1/2×3/8	
SF-20A×8A-SWRC	3/4×1/4	570
SF-20A×10A-SWRC	3/4×3/8	
SF-20A×15A-SWRC	3/4×1/2	780
SF-25A×10A-SWRC	1×3/8	
SF-25A×15A-SWRC	1×1/2	
SF-25A×20A-SWRC	1×3/4	1,220
SF-32A×15A-SWRC	1 1/4×1/2	
SF-32A×20A-SWRC	1 1/4×3/4	
SF-32A×25A-SWRC	1 1/4×1	1,510
SF-40A×20A-SWRC	1 1/2×3/4	
SF-40A×25A-SWRC	1 1/2×1	
SF-40A×32A-SWRC	1 1/2×1 1/4	2,460
SF-50A×25A-SWRC	2×1	
SF-50A×32A-SWRC	2×1 1/4	
SF-50A×40A-SWRC	2×1 1/2	


●ステンレス鋼

品 番	径の呼び (Rc)	価 格
SUS-10A×8A-SWRC	3/8×1/4	1,020
SUS-15A×8A-SWRC	1/2×1/4	1,250
SUS-15A×10A-SWRC	1/2×3/8	
SUS-20A×8A-SWRC	3/4×1/4	1,790
SUS-20A×10A-SWRC	3/4×3/8	
SUS-20A×15A-SWRC	3/4×1/2	2,560
SUS-25A×10A-SWRC	1×3/8	
SUS-25A×15A-SWRC	1×1/2	
SUS-25A×20A-SWRC	1×3/4	4,700
SUS-32A×15A-SWRC	1 1/4×1/2	
SUS-32A×20A-SWRC	1 1/4×3/4	
SUS-32A×25A-SWRC	1 1/4×1	5,530
SUS-40A×20A-SWRC	1 1/2×3/4	
SUS-40A×25A-SWRC	1 1/2×1	
SUS-40A×32A-SWRC	1 1/2×1 1/4	9,620
SUS-50A×25A-SWRC	2×1	
SUS-50A×32A-SWRC	2×1 1/4	
SUS-50A×40A-SWRC	2×1 1/2	

SMP 高圧管継手

■ユニオン (Oリングタイプ)

●SU ねじ込み形




●炭素鋼

品 番	価 格
SF-8A-SU	1,370
SF-10A-SU	1,370
SF-15A-SU	1,640
SF-20A-SU	2,450
SF-25A-SU	3,390
SF-32A-SU	5,160
SF-40A-SU	7,070
SF-50A-SU	10,300

●ステンレス鋼

品 番	価 格
SUS-8A-SU	3,510
SUS-10A-SU	3,880
SUS-15A-SU	4,670
SUS-20A-SU	6,790
SUS-25A-SU	8,920
SUS-32A-SU	20,700
SUS-40A-SU	24,300
SUS-50A-SU	39,600

●SWU 差込み溶接形



●炭素鋼

品 番	価 格
SF-8A-SWU	1,190
SF-10A-SWU	1,190
SF-15A-SWU	1,480
SF-20A-SWU	2,150
SF-25A-SWU	3,100
SF-32A-SWU	4,930
SF-40A-SWU	6,730
SF-50A-SWU	9,970

●ステンレス鋼

品 番	価 格
SUS-8A-SWU	3,190
SUS-10A-SWU	3,520
SUS-15A-SWU	4,250
SUS-20A-SWU	6,130
SUS-25A-SWU	8,070
SUS-32A-SWU	18,800
SUS-40A-SWU	22,100
SUS-50A-SWU	35,900

●管厚:スケジュール80


() はステンレス鋼

品 番	径の呼び (Rc)	A	B	C	D	L	T	対辺 H	Oリング
8A-SU・SWU	1/4	14.3	22	10	9.4	42 (37)	18 (17)	36 (35)	P16
10A-SU・SWU	3/8	17.8	26	10	12.7	42 (38)	18 (18)	41 (38)	P20
15A-SU・SWU	1/2	22.2	32	10	16.1	42 (40)	18 (20)	46	G25
20A-SU・SWU	3/4	27.7	38	13	21.4	56 (45)	24 (21)	55 (54)	G30
25A-SU・SWU	1	34.5	46	13	27.2	56 (57)	24 (25)	65 (63)	G35
32A-SU・SWU	1 1/4	43.2	55	14	35.5	58 (57)	26 (25)	77 (74)	G45
40A-SU・SWU	1 1/2	49.1	63	16	41.2	74 (64)	34 (28)	85 (83)	G50
50A-SU・SWU	2	61.1	75	16	52.7	74 (72)	34 (32)	100 (102)	G65

SMP 高圧管継手

■SN 六角ニップル

()は六角



品 番	径の呼び (Rc)	D	L	T	H
8A-SN・SRN	1/4	7	34	8	17 (14)
10A-SN・SRN	3/8	9	37	9	21 (17)
15A-SN・SRN	1/2	12	43 (46)	9	26 (22)
20A-SN・SRN	3/4	16	48	10	32 (27)
25A-SN・SRN	1	20	53 (55)	11	35
32A-SN・SRN	1 1/4	28	56	12	46
40A-SN・SRN	1 1/2	30	60	14	54 (50)
50A-SN・SRN	2	40	66	16	63

●炭素鋼

品 番	価 格
SF-8A-SN	240
SF-10A-SN	240
SF-15A-SN	310
SF-20A-SN	480
SF-25A-SN	610
SF-32A-SN	1,040
SF-40A-SN	1,410
SF-50A-SN	2,170

●ステンレス鋼

品 番	価 格
SUS-8A-SN	830
SUS-10A-SN	960
SUS-15A-SN	1,300
SUS-20A-SN	1,790
SUS-25A-SN	3,110
SUS-32A-SN	5,890
SUS-40A-SN	6,860
SUS-50A-SN	11,300

■SRN 異径ニップル

●炭素鋼


品 番	径の呼び (R)	価 格
SF-10A×8A-SRN	3/8×1/4	310
SF-15A×8A-SRN	1/2×1/4	410
SF-15A×10A-SRN	1/2×3/8	
SF-20A×8A-SRN	3/4×1/4	610
SF-20A×10A-SRN	3/4×3/8	
SF-20A×15A-SRN	3/4×1/2	
SF-25A×10A-SRN	1×3/8	750
SF-25A×15A-SRN	1×1/2	
SF-25A×20A-SRN	1×3/4	
SF-32A×15A-SRN	1 1/4×1/2	1,370
SF-32A×20A-SRN	1 1/4×3/4	
SF-32A×25A-SRN	1 1/4×1	
SF-40A×20A-SRN	1 1/2×3/4	1,760
SF-40A×25A-SRN	1 1/2×1	
SF-40A×32A-SRN	1 1/2×1 1/4	
SF-50A×25A-SRN	2×1	2,520
SF-50A×32A-SRN	2×1 1/4	
SF-50A×40A-SRN	2×1 1/2	

●ステンレス鋼

品 番	径の呼び (R)	価 格
SUS-10A×8A-SRN	3/8×1/4	1,140
SUS-15A×8A-SRN	1/2×1/4	1,760
SUS-15A×10A-SRN	1/2×3/8	
SUS-20A×8A-SRN	3/4×1/4	2,120
SUS-20A×10A-SRN	3/4×3/8	
SUS-20A×15A-SRN	3/4×1/2	
SUS-25A×10A-SRN	1×3/8	3,670
SUS-25A×15A-SRN	1×1/2	
SUS-25A×20A-SRN	1×3/4	
SUS-32A×15A-SRN	1 1/4×1/2	7,840
SUS-32A×20A-SRN	1 1/4×3/4	
SUS-32A×25A-SRN	1 1/4×1	
SUS-40A×20A-SRN	1 1/2×3/4	9,080
SUS-40A×25A-SRN	1 1/2×1	
SUS-40A×32A-SRN	1 1/2×1 1/4	
SUS-50A×25A-SRN	2×1	14,100
SUS-50A×32A-SRN	2×1 1/4	
SUS-50A×40A-SRN	2×1 1/2	

SMP 高圧管継手

SB ブッシング



●炭素鋼

品 番	価 格
SF-10A×8A-SB	210
SF-15A×8A-SB	290
SF-15A×10A-SB	290
SF-20A×8A-SB	470
SF-20A×10A-SB	470
SF-20A×15A-SB	470
SF-25A×10A-SB	590
SF-25A×15A-SB	590
SF-25A×20A-SB	590
SF-32A×15A-SB	900
SF-32A×20A-SB	900
SF-32A×25A-SB	900
SF-40A×20A-SB	1,250
SF-40A×25A-SB	1,250
SF-40A×32A-SB	1,250
SF-50A×25A-SB	1,690
SF-50A×32A-SB	1,690
SF-50A×40A-SB	1,690

●ステンレス鋼


品 番	価 格
SUS-10A×8A-SB	1,160
SUS-15A×8A-SB	1,220
SUS-15A×10A-SB	
SUS-20A×8A-SB	2,010
SUS-20A×10A-SB	
SUS-20A×15A-SB	2,630
SUS-25A×10A-SB	
SUS-25A×15A-SB	4,840
SUS-25A×20A-SB	
SUS-32A×15A-SB	6,560
SUS-32A×20A-SB	
SUS-32A×25A-SB	8,450
SUS-40A×20A-SB	
SUS-40A×25A-SB	8,450
SUS-40A×32A-SB	
SUS-50A×25A-SB	8,450
SUS-50A×32A-SB	
SUS-50A×40A-SB	8,450

品 番	径の呼び (R×Rc)	L	T	炭素鋼 H	ステンレス H
10A×8A-SB	3/8×1/4	22	8	21	19
15A×8A-SB	1/2×1/4	25	8	26	23
15A×10A-SB	1/2×3/8				
20A×8A-SB	3/4×1/4	28	9	32	29
20A×10A-SB	3/4×3/8				
20A×15A-SB	3/4×1/2				
25A×10A-SB	1×3/8	30	9	35	35
25A×15A-SB	1×1/2				
25A×20A-SB	1×3/4				
32A×15A-SB	1 1/4×1/2	34	12	46	46
32A×20A-SB	1 1/4×3/4				
32A×25A-SB	1 1/4×1				
40A×20A-SB	1 1/2×3/4	37	14	54	50
40A×25A-SB	1 1/2×1				
40A×32A-SB	1 1/2×1 1/4				
50A×25A-SB	2×1	41	16	63	63
50A×32A-SB	2×1 1/4				
50A×40A-SB	2×1 1/2				

SMP 高圧管継手

■キャップ

●SCA ねじ込み形




●炭素鋼

品 番	価 格
SF- 8A-SCA	410
SF-10A-SCA	410
SF-15A-SCA	540
SF-20A-SCA	650
SF-25A-SCA	890
SF-32A-SCA	1,100
SF-40A-SCA	1,410
SF-50A-SCA	2,360

●ステンレス鋼

品 番	価 格
SUS- 8A-SCA	1,760
SUS-10A-SCA	1,760
SUS-15A-SCA	2,340
SUS-20A-SCA	3,210
SUS-25A-SCA	4,310
SUS-32A-SCA	6,090
SUS-40A-SCA	11,600
SUS-50A-SCA	18,700

●SWCA 差込み溶接形



●炭素鋼

品 番	価 格
SF- 8A-SWCA	350
SF-10A-SWCA	350
SF-15A-SWCA	460
SF-20A-SWCA	570
SF-25A-SWCA	640
SF-32A-SWCA	850
SF-40A-SWCA	1,120
SF-50A-SWCA	1,580

●ステンレス鋼

品 番	価 格
SUS-8A-SWCA	1,320
SUS-10A-SWCA	1,320
SUS-15A-SWCA	1,750
SUS-20A-SWCA	2,370
SUS-25A-SWCA	3,190
SUS-32A-SWCA	4,730
SUS-40A-SWCA	7,900
SUS-50A-SWCA	15,700

●管厚:スケジュール80

品 番	径の呼び (Rc)	ねじ込み形 (SCA)						差込溶接形 (SWCA)			
		B1	G	L1	T	H	H'	A	B	C	L
8A-SCA・SWCA	1/4	20	6	20	9	21	19	14.3	22	9.6	16
10A-SCA・SWCA	3/8	25	7	23	10	26	22	17.8	27	9.6	17
15A-SCA・SWCA	1/2	30	8	27	11	32	29	22.2	32	9.6	18
20A-SCA・SWCA	3/4	37	8	30	13	38	35	27.7	38	12.7	22
25A-SCA・SWCA	1	45	11	36	17	46	43	34.5	46	12.7	23
32A-SCA・SWCA	1 1/4	56	11	36	17	58	52	43.2	56	12.7	25
40A-SCA・SWCA	1 1/2	65	13	40	20	63	62	49.1	63	12.7	26
50A-SCA・SWCA	2	76	14	44	20	77	72	61.1	76	15.9	31