

# SMP スチールボール

## ●インチサイズ クローム

| 品 番                                 | 直 径<br>(mm) | 価 格    |        |         |          |
|-------------------------------------|-------------|--------|--------|---------|----------|
|                                     |             | (バラ)   | (10ヶ入) | (100ヶ入) | (1000ヶ入) |
| HCR-1 <sup>1</sup> / <sub>16</sub>  | 1.5875      | —      | 20     | 200     | 2,000    |
| HCR-3 <sup>1</sup> / <sub>32</sub>  | 2.3813      | —      | 20     | 200     | 2,000    |
| HCR-1 <sup>1</sup> / <sub>8</sub>   | 3.175       | —      | 20     | 200     | 2,000    |
| HCR-5 <sup>1</sup> / <sub>32</sub>  | 3.9688      | —      | 20     | 200     | 2,000    |
| HCR-3 <sup>1</sup> / <sub>16</sub>  | 4.7625      | —      | 30     | 300     | 3,000    |
| HCR-7 <sup>1</sup> / <sub>32</sub>  | 5.5563      | —      | 40     | 400     | 4,000    |
| HCR-1 <sup>1</sup> / <sub>4</sub>   | 6.35        | —      | 40     | 400     | 4,000    |
| HCR-9 <sup>1</sup> / <sub>32</sub>  | 7.1438      | —      | 60     | 600     | 5,000    |
| HCR-5 <sup>1</sup> / <sub>16</sub>  | 7.9375      | —      | 80     | 700     | 6,000    |
| HCR-11 <sup>1</sup> / <sub>32</sub> | 8.7313      | —      | 100    | 900     | 8,000    |
| HCR-3 <sup>1</sup> / <sub>8</sub>   | 9.525       | —      | 110    | 1,000   | 9,000    |
| HCR-7 <sup>1</sup> / <sub>16</sub>  | 11.1125     | —      | 160    | 1,500   | 13,000   |
| HCR-15 <sup>1</sup> / <sub>32</sub> | 11.9063     | 27     | 220    | 2,000   | 17,000   |
| HCR-1 <sup>1</sup> / <sub>2</sub>   | 12.7        | 29     | 240    | 2,100   | 19,000   |
| HCR-17 <sup>1</sup> / <sub>32</sub> | 13.4938     | 35     | 280    | 2,500   | 23,000   |
| HCR-9 <sup>1</sup> / <sub>16</sub>  | 14.2875     | 37     | 300    | 2,700   | 24,000   |
| HCR-19 <sup>1</sup> / <sub>32</sub> | 15.0813     | 48     | 380    | 3,500   | 31,000   |
| HCR-5 <sup>1</sup> / <sub>8</sub>   | 15.875      | 58     | 470    | 4,200   | 38,000   |
| HCR-21 <sup>1</sup> / <sub>32</sub> | 16.6688     | 65     | 520    | 4,700   | 42,000   |
| HCR-11 <sup>1</sup> / <sub>16</sub> | 17.4625     | 70     | 560    | 5,100   | 45,000   |
| HCR-23 <sup>1</sup> / <sub>32</sub> | 18.2563     | 85     | 680    | 6,200   | 55,000   |
| HCR-3 <sup>1</sup> / <sub>4</sub>   | 19.05       | 90     | 720    | 6,500   | 58,000   |
| HCR-25 <sup>1</sup> / <sub>32</sub> | 19.8438     | 105    | 840    | 7,600   | 68,000   |
| HCR-13 <sup>1</sup> / <sub>16</sub> | 20.6375     | 120    | 960    | 8,700   | 77,000   |
| HCR-27 <sup>1</sup> / <sub>32</sub> | 21.4313     | 150    | 1,200  | 10,800  | 96,000   |
| HCR-7 <sup>1</sup> / <sub>8</sub>   | 22.225      | 160    | 1,280  | 11,600  | 103,000  |
| HCR-29 <sup>1</sup> / <sub>32</sub> | 23.0188     | 180    | 1,440  | 13,000  | 116,000  |
| HCR-15 <sup>1</sup> / <sub>16</sub> | 23.8125     | 190    | 1,520  | 13,700  | 122,000  |
| HCR-1"                              | 25.4        | 290    | 2,320  | 20,900  | 186,000  |
| HCR-11 <sup>1</sup> / <sub>16</sub> | 26.9875     | 320    | 2,560  | 23,100  | 205,000  |
| HCR-11 <sup>1</sup> / <sub>8</sub>  | 28.575      | 450    | 3,600  | 32,400  | 288,000  |
| HCR-1 <sup>3</sup> / <sub>16</sub>  | 30.1625     | 600    | 4,800  | 43,200  | 384,000  |
| HCR-11 <sup>1</sup> / <sub>4</sub>  | 31.75       | 700    | 5,600  | 50,400  | —        |
| HCR-15 <sup>1</sup> / <sub>16</sub> | 33.3375     | 800    | 6,400  | 57,600  | —        |
| HCR-1 <sup>3</sup> / <sub>8</sub>   | 34.925      | 950    | 7,600  | 68,400  | —        |
| HCR-11 <sup>1</sup> / <sub>2</sub>  | 38.1        | 1,325  | 10,600 | 95,400  | —        |
| HCR-15 <sup>1</sup> / <sub>8</sub>  | 41.275      | 1,850  | 14,800 | 133,200 | —        |
| HCR-1 <sup>3</sup> / <sub>4</sub>   | 44.45       | 2,425  | 19,400 | 174,600 | —        |
| HCR-17 <sup>1</sup> / <sub>8</sub>  | 47.625      | 3,200  | 25,600 | 230,400 | —        |
| HCR-2"                              | 50.8        | 3,475  | 27,800 | 250,200 | —        |
| HCR-21 <sup>1</sup> / <sub>8</sub>  | 53.975      | 4,750  | 38,000 | 342,000 | —        |
| HCR-21 <sup>1</sup> / <sub>4</sub>  | 57.15       | 5,300  | 42,400 | 381,600 | —        |
| HCR-2 <sup>3</sup> / <sub>8</sub>   | 60.325      | 7,000  | 56,000 | —       | —        |
| HCR-21 <sup>1</sup> / <sub>2</sub>  | 63.5        | 7,900  | 63,200 | —       | —        |
| HCR-2 <sup>3</sup> / <sub>4</sub>   | 69.85       | 9,750  | 78,000 | —       | —        |
| HCR-3"                              | 76.2        | 10,500 | 84,000 | —       | —        |

# SMP スチールボール

## ●インチサイズ JIS 上級

| 品 番       | 直 径<br>(mm) | 価 格    |         |         |          |
|-----------|-------------|--------|---------|---------|----------|
|           |             | (バラ)   | (10ヶ入)  | (100ヶ入) | (1000ヶ入) |
| JIS-1/16  | 1.5875      | —      | 30      | 300     | 3,000    |
| JIS-3/32  | 2.3813      | —      | 30      | 300     | 3,000    |
| JIS-1/8   | 3.175       | —      | 20      | 200     | 2,000    |
| JIS-5/32  | 3.9688      | —      | 40      | 400     | 3,000    |
| JIS-3/16  | 4.7625      | —      | 40      | 400     | 4,000    |
| JIS-7/32  | 5.5563      | —      | 60      | 600     | 5,000    |
| JIS-1/4   | 6.35        | —      | 70      | 700     | 6,000    |
| JIS-9/32  | 7.1438      | —      | 100     | 900     | 8,000    |
| JIS-5/16  | 7.9375      | —      | 130     | 1,100   | 10,000   |
| JIS-11/32 | 8.7313      | 20     | 160     | 1,400   | 13,000   |
| JIS-3/8   | 9.525       | 23     | 180     | 1,600   | 15,000   |
| JIS-7/16  | 11.1125     | 33     | 270     | 2,400   | 22,000   |
| JIS-15/32 | 11.9063     | 42     | 340     | 3,000   | 27,000   |
| JIS-1/2   | 12.7        | 47     | 370     | 3,400   | 30,000   |
| JIS-17/32 | 13.4938     | 56     | 450     | 4,100   | 36,000   |
| JIS-9/16  | 14.2875     | 74     | 590     | 5,300   | 48,000   |
| JIS-19/32 | 15.0813     | 75     | 600     | 5,400   | 48,000   |
| JIS-5/8   | 15.875      | 86     | 690     | 6,200   | 55,000   |
| JIS-21/32 | 16.6688     | 98     | 780     | 7,100   | 63,000   |
| JIS-11/16 | 17.4625     | 110    | 880     | 8,000   | 71,000   |
| JIS-23/32 | 18.2563     | 128    | 1,030   | 9,300   | 82,000   |
| JIS-3/4   | 19.05       | 151    | 1,210   | 10,900  | 97,000   |
| JIS-25/32 | 19.8438     | 170    | 1,360   | 12,300  | 109,000  |
| JIS-13/16 | 20.6375     | 197    | 1,580   | 14,200  | 127,000  |
| JIS-27/32 | 21.4313     | 223    | 1,780   | 16,100  | 143,000  |
| JIS-7/8   | 22.225      | 250    | 2,000   | 18,000  | 160,000  |
| JIS-29/32 | 23.0188     | 277    | 2,220   | 20,000  | 177,000  |
| JIS-15/16 | 23.8125     | 310    | 2,480   | 22,400  | 199,000  |
| JIS-31/32 | 24.6063     | 360    | 2,880   | 26,000  | 231,000  |
| JIS-1"    | 25.4        | 405    | 3,240   | 29,200  | 260,000  |
| JIS-11/16 | 26.9875     | 525    | 4,200   | 37,800  | 336,000  |
| JIS-11/8  | 28.575      | 625    | 5,000   | 45,000  | 400,000  |
| JIS-13/16 | 30.1625     | 760    | 6,080   | 54,800  | 487,000  |
| JIS-11/4  | 31.75       | 975    | 7,800   | 70,200  | —        |
| JIS-15/16 | 33.3375     | 1,250  | 10,000  | 90,000  | —        |
| JIS-13/8  | 34.925      | 1,510  | 12,080  | 108,800 | —        |
| JIS-11/2  | 38.1        | 2,220  | 17,760  | 159,900 | —        |
| JIS-15/8  | 41.275      | 3,025  | 24,200  | 217,800 | —        |
| JIS-13/4  | 44.45       | 4,080  | 32,640  | 293,800 | —        |
| JIS-17/8  | 47.625      | 5,250  | 42,000  | 378,000 | —        |
| JIS-2"    | 50.8        | 6,425  | 51,400  | —       | —        |
| JIS-21/8  | 53.975      | 8,500  | 68,000  | —       | —        |
| JIS-21/4  | 57.15       | 9,750  | 78,000  | —       | —        |
| JIS-21/2  | 63.5        | 13,375 | 107,000 | —       | —        |
| JIS-23/4  | 69.85       | 17,800 | 142,400 | —       | —        |
| JIS-3"    | 76.2        | 23,100 | 184,800 | —       | —        |

# SMP スチールボール

## ●インチサイズ ステンレス

| 品 番        | 直 径<br>(mm) | 価 格    |         |         |          |
|------------|-------------|--------|---------|---------|----------|
|            |             | (バラ)   | (10ヶ入)  | (100ヶ入) | (1000ヶ入) |
| SUS-1/8    | 3.175       | —      | 80      | 700     | 6,000    |
| SUS-5/32   | 3.9688      | —      | 100     | 900     | 8,000    |
| SUS-3/16   | 4.7625      | —      | 140     | 1,300   | 11,000   |
| SUS-7/32   | 5.5563      | —      | 180     | 1,700   | 15,000   |
| SUS-1/4    | 6.35        | 30     | 240     | 2,200   | 20,000   |
| SUS-9/32   | 7.1438      | 42     | 340     | 3,100   | 27,000   |
| SUS-5/16   | 7.9375      | 50     | 400     | 3,600   | 32,000   |
| SUS-3/8    | 9.525       | 77     | 620     | 5,600   | 49,000   |
| SUS-7/16   | 11.1125     | 121    | 970     | 8,800   | 78,000   |
| SUS-1/2    | 12.7        | 164    | 1,320   | 11,900  | 105,000  |
| SUS-9/16   | 14.2875     | 240    | 2,000   | 17,200  | 157,100  |
| SUS-5/8    | 15.875      | 330    | 2,700   | 23,400  | 214,300  |
| SUS-3/4    | 19.05       | 630    | 5,200   | 45,300  | 414,300  |
| SUS-7/8    | 22.225      | 1,070  | 8,800   | 76,600  | —        |
| SUS-1"     | 25.4        | 1,740  | 14,300  | 125,000 | —        |
| SUS-1 1/8  | 28.575      | 2,570  | 21,100  | 184,400 | —        |
| SUS-1 3/16 | 30.1625     | 2,960  | 24,300  | 212,500 | —        |
| SUS-1 1/4  | 31.75       | 3,700  | 30,400  | 265,600 | —        |
| SUS-1 3/8  | 34.925      | 5,000  | 41,100  | 359,400 | —        |
| SUS-1 1/2  | 38.1        | 5,650  | 46,400  | —       | —        |
| SUS-1 5/8  | 41.275      | 7,830  | 64,300  | —       | —        |
| SUS-1 3/4  | 44.45       | 9,300  | 89,300  | —       | —        |
| SUS-2"     | 50.8        | 14,780 | 121,400 | —       | —        |
| SUS-2 1/4  | 57.15       | 23,910 | 196,400 | —       | —        |
| SUS-2 1/2  | 63.5        | 29,130 | 239,300 | —       | —        |
| SUS-3"     | 76.2        | 54,350 | 446,400 | —       | —        |

## ●インチサイズ カーボン

| 品 番       | 直 径<br>(mm) | 価 格  |        |         |          |
|-----------|-------------|------|--------|---------|----------|
|           |             | (バラ) | (10ヶ入) | (100ヶ入) | (1000ヶ入) |
| CA-3/32   | 2.3813      | —    | 20     | 200     | 1,000    |
| CA-1/8    | 3.175       | —    | 10     | 100     | 1,000    |
| CA-5/32   | 3.9688      | —    | 10     | 100     | 1,000    |
| CA-3/16   | 4.7625      | —    | 20     | 200     | 2,000    |
| CA-7/32   | 5.5563      | —    | 20     | 200     | 2,000    |
| CA-1/4    | 6.35        | —    | 30     | 200     | 2,000    |
| CA-9/32   | 7.1438      | —    | 40     | 400     | 3,000    |
| CA-5/16   | 7.9375      | —    | 50     | 400     | 4,000    |
| CA-3/8    | 9.525       | —    | 80     | 700     | 6,000    |
| CA-7/16   | 11.1125     | —    | 120    | 1,100   | 10,000   |
| CA-1/2    | 12.7        | —    | 170    | 1,500   | 14,000   |
| CA-9/16   | 14.2875     | 34   | 280    | 2,500   | 22,000   |
| CA-5/8    | 15.875      | 44   | 360    | 3,200   | 29,000   |
| CA-1 1/16 | 17.4625     | 55   | 440    | 4,000   | 36,000   |
| CA-3/4    | 19.05       | 72   | 580    | 5,200   | 47,000   |
| CA-7/8    | 22.225      | 150  | 1,200  | 10,800  | 96,000   |
| CA-1"     | 25.4        | 250  | 2,000  | 18,000  | 160,000  |

# SMP スチールボール

## ●ミリサイズ JIS 上級

| 品 番      | 直 径<br>(mm) | 価 格    |         |         |          |
|----------|-------------|--------|---------|---------|----------|
|          |             | (バラ)   | (10ヶ入)  | (100ヶ入) | (1000ヶ入) |
| JIS-0.5  | 0.5         | 25     | 200     | 1,800   | 16,000   |
| JIS-0.6  | 0.6         | 25     | 200     | 1,800   | 16,000   |
| JIS-0.7  | 0.7         | 25     | 200     | 1,800   | 16,000   |
| JIS-0.8  | 0.8         | 25     | 200     | 1,800   | 16,000   |
| JIS-1.0  | 1.0         | —      | 30      | 300     | 3,000    |
| JIS-1.2  | 1.2         | —      | 30      | 300     | 3,000    |
| JIS-1.5  | 1.5         | —      | 30      | 300     | 3,000    |
| JIS-2.0  | 2.0         | —      | 30      | 300     | 3,000    |
| JIS-2.5  | 2.5         | —      | 30      | 300     | 3,000    |
| JIS-3.0  | 3.0         | —      | 30      | 300     | 3,000    |
| JIS-3.5  | 3.5         | —      | 40      | 400     | 4,000    |
| JIS-4.0  | 4.0         | —      | 60      | 500     | 5,000    |
| JIS-4.5  | 4.5         | —      | 70      | 700     | 6,000    |
| JIS-5.0  | 5.0         | —      | 70      | 700     | 6,000    |
| JIS-5.5  | 5.5         | —      | 90      | 800     | 8,000    |
| JIS-6.0  | 6.0         | —      | 90      | 800     | 8,000    |
| JIS-6.5  | 6.5         | —      | 120     | 1,100   | 10,000   |
| JIS-7.0  | 7.0         | —      | 120     | 1,100   | 10,000   |
| JIS-7.5  | 7.5         | —      | 180     | 1,600   | 14,000   |
| JIS-8.0  | 8.0         | —      | 180     | 1,600   | 14,000   |
| JIS-8.5  | 8.5         | 27     | 210     | 1,900   | 17,000   |
| JIS-9.0  | 9.0         | 27     | 210     | 1,900   | 17,000   |
| JIS-10.0 | 10.0        | 32     | 260     | 2,300   | 21,000   |
| JIS-11.0 | 11.0        | 40     | 320     | 2,900   | 26,000   |
| JIS-11.5 | 11.5        | 55     | 440     | 4,000   | 36,000   |
| JIS-12.0 | 12.0        | 55     | 440     | 4,000   | 36,000   |
| JIS-13.0 | 13.0        | 69     | 550     | 5,000   | 44,000   |
| JIS-14.0 | 14.0        | 79     | 640     | 5,700   | 51,000   |
| JIS-15.0 | 15.0        | 90     | 720     | 6,500   | 58,000   |
| JIS-16.0 | 16.0        | 115    | 920     | 8,300   | 74,000   |
| JIS-17.0 | 17.0        | 133    | 1,060   | 9,600   | 85,000   |
| JIS-18.0 | 18.0        | 160    | 1,280   | 11,600  | 103,000  |
| JIS-19.0 | 19.0        | 200    | 1,600   | 14,400  | 128,000  |
| JIS-20.0 | 20.0        | 215    | 1,720   | 15,500  | 138,000  |
| JIS-22.0 | 22.0        | 315    | 2,520   | 22,700  | 202,000  |
| JIS-24.0 | 24.0        | 420    | 3,360   | 30,300  | 269,000  |
| JIS-25.0 | 25.0        | 490    | 3,920   | 35,300  | 314,000  |
| JIS-26.0 | 26.0        | 600    | 4,800   | 43,200  | 384,000  |
| JIS-30.0 | 30.0        | 815    | 6,520   | 58,700  | —        |
| JIS-35.0 | 35.0        | 1,850  | 14,800  | 133,200 | —        |
| JIS-40.0 | 40.0        | 3,150  | 25,200  | 226,800 | —        |
| JIS-45.0 | 45.0        | 5,500  | 44,000  | 396,000 | —        |
| JIS-50.0 | 50.0        | 7,250  | 58,000  | —       | —        |
| JIS-60.0 | 60.0        | 15,000 | 120,000 | —       | —        |
| JIS-70.0 | 70.0        | 21,000 | 168,000 | —       | —        |
| JIS-80.0 | 80.0        | 28,500 | 228,000 | —       | —        |

# SMP スチールボール

## ●ミリサイズ クローム

| 品 番      | 直 径<br>(mm) | 価 格  |        |         |          |
|----------|-------------|------|--------|---------|----------|
|          |             | (バラ) | (10ヶ入) | (100ヶ入) | (1000ヶ入) |
| HCR-0.8  | 0.8         | 25   | 200    | 1,800   | 16,000   |
| HCR-1.0  | 1.0         | —    | 20     | 200     | 2,000    |
| HCR-1.2  | 1.2         | —    | 20     | 200     | 2,000    |
| HCR-1.5  | 1.5         | —    | 20     | 200     | 2,000    |
| HCR-2.0  | 2.0         | —    | 20     | 200     | 2,000    |
| HCR-2.5  | 2.5         | —    | 20     | 200     | 2,000    |
| HCR-3.0  | 3.0         | —    | 20     | 200     | 2,000    |
| HCR-3.5  | 3.5         | —    | 40     | 300     | 3,000    |
| HCR-6.0  | 6.0         | —    | 80     | 700     | 7,000    |
| HCR-13.0 | 13.0        | 60   | 480    | 4,400   | 39,000   |
| HCR-14.5 | 14.5        | 80   | 640    | 5,800   | 52,000   |

## ●ミリサイズ ステンレス

| 品 番      | 直 径<br>(mm) | 価 格  |        |         |          |
|----------|-------------|------|--------|---------|----------|
|          |             | (バラ) | (10ヶ入) | (100ヶ入) | (1000ヶ入) |
| SUS-0.7  | 0.7         | 25   | 200    | 1,800   | 16,000   |
| SUS-0.8  | 0.8         | 25   | 200    | 1,800   | 16,000   |
| SUS-1.0  | 1.0         | —    | 40     | 400     | 4,000    |
| SUS-1.2  | 1.2         | —    | 40     | 400     | 4,000    |
| SUS-1.5  | 1.5         | —    | 60     | 600     | 5,000    |
| SUS-2.0  | 2.0         | —    | 80     | 800     | 7,000    |
| SUS-2.5  | 2.5         | —    | 100    | 900     | 8,000    |
| SUS-3.0  | 3.0         | —    | 120    | 1,100   | 10,000   |
| SUS-3.5  | 3.5         | —    | 140    | 1,300   | 12,000   |
| SUS-4.0  | 4.0         | —    | 160    | 1,500   | 13,000   |
| SUS-5.0  | 5.0         | 25   | 200    | 1,800   | 16,000   |
| SUS-6.0  | 6.0         | 30   | 240    | 2,200   | 20,000   |
| SUS-7.0  | 7.0         | 40   | 320    | 2,900   | 26,000   |
| SUS-8.0  | 8.0         | 50   | 400    | 3,600   | 32,000   |
| SUS-9.0  | 9.0         | 60   | 480    | 4,400   | 39,000   |
| SUS-10.0 | 10.0        | 75   | 600    | 5,400   | 48,000   |
| SUS-12.0 | 12.0        | 175  | 1,400  | 12,600  | 112,000  |