
BK-DS 形 固定側サポートユニット



単位:mm

呼び型番	W	Н	S	R	Т	К	d1	d2	DP	Х	E
BK 10DS	60	39	22	32.5	30	34	6.6	11	5	46	6
BK 12DS	60	43	25	35	30	35	6.6	11	6.5	46	6
BK 15DS	70	48	28	38	35	40	6.6	11	6.5	54	6
BK 17DS	86	64	39	55	43	50	9	14	8.5	68	8
BK 20DS	88	60	34	50	44	52	9	14	8.5	70	8
BK 25DS	106	80	48	70	53	64	11	17.5	11	85	10
BK 30DS	128	89	51	78	64	76	14	20	13	102	11
BK 35DS	140	96	52	79	70	88	14	20	13	114	12
BK 40DS	160	110	60	90	80	100	18	26	17.5	130	14

F	L	V	А	В	С	D	N	М	d3	動定格荷重 [kN]	静定格荷重 [kN]	使用軸受
13	25	6	38	8	7	7	8	M10x1	10	6.5	2.7	7000A
13	25	6	38	8	7	7	8	M12x1	12	7.1	3	7001A
15	27	6	40	9	7	7	8	M15x1	15	7.5	3.9	7002A
19	35	8	52	12	9	9	10	M17x1	17	13.7	5.8	7203A
19	35	8	52	12	9	9	10	M20x1	20	17.9	9.5	7004A
22	42	12	62	15	10	10	12	M25x1.5	25	20.1	11.4	7205A
23	45	14	66	16	11	11	12	M30x1.5	30	28	16.2	7206A
26	50	14	70	17	12	12	12	M35x1.5	35	37.2	23.5	7207A
33	61	18	82	18	16	16	14	M40x1.5	40	44.1	27.1	7208A